

# Classic 35

## SKC Window Film

### Advantage -

1. Drive cooler by reducing excessive solar heat
2. Better eye comfort
3. Great maintenance with less scratch
4. Long life indoor fabric from fading

Clear Hard-Coating

Optical Grade PET Film (23±1μm)

Adhesive

Sputter Film (23±1μm)

UV-Cut PSA

Silicone Release Film(23μm)

Visible Light Transmitted		33%	KS L 2016 ISO 9050
Visible Light Reflected	External	18.3%	KS L 2016 ISO 9050
	Internal	21.8%	
Solar Heat	Reflected	16.6%	ISO 9050
	Absorbed	55.2%	
	Transmitted	28.2%	
IR Rejected		55%	ISO 9050
UV Rejected		99%	KS L 2016 ISO 9050
Total Solar Energy Rejected (TSER)		57.8%	ISO 9050

Thickness	2Mil/2Ply	
Shading Coefficient	0.5	JIS A 5759
Solar Heat Gain Coefficient (SHGC)	0.47	KS L 2514
Scratch Resistant	>2H	ASTM D3363
Adhesion of Hard-Coated Surface	5B (0% peel-off)	ASTM D3359